



VSA 220 M 3.0

Art.no: [FAN000047](#)

Product category: Roof fans

Technical data

SALES	
Standard warranty	2 Years
PACKING	
Weight	6.5 kg
Package unit	Piece
ELECTRICAL DATA	
Rated power	103 W
Rated current	0.5 A
Phases	1N~ ~
Voltage	230 V
Frequency	50 Hz


FAN	
Motor type	AC
Motor efficiency class	IE3
IP Class	IP44
Impeller material	Plastic
Code	5509312300
On/off switch	None
Constant flow sensor	None
Constant pressure sensor	None
Impeller type	Backwards curved
CASING	
Material	Galvanized steel
Coating	Powder coated
Corrosion resistance external	C3
Color	RAL 9005 (Black)
IP Class	IP54
Operation environment	Outdoors
Operating air temperature	-25 .. 55 °C

Performance


1 Working point

[Click here to see product](#)


AIRFLOW



POWER




EFFICIENCY



FAN

Air flow	603	m ³ /h
Static pressure	151	Pa
Power	102	W
Current	0.43	A
Efficiency	24.9	%
SFP	0.607	kW/m ² /s

Dimensions




L [mm]	H [mm]	ØD [mm]	dn	H1 [mm]	A [mm]	A1 [mm]	D1 [mm]	d1 [mm]
405	214	200	M5	109	330	165	450	8

Documents




Cad drawings

VSA 220 M 3.0 (182,4 KB)



Catalogue

VSA 3.0_EN (716,1 KB)



Declaration of Conformity

FAN_CE_EN 2 (111,4 KB)




Manual

VSA 3.0_VSA EKO [DE] (824,8 KB)



Manual

VSA 3.0_VSA EKO [EN] (834,3 KB)



Sales brochure

Fans_EN (3,3 MB)